

Note: - You have four choices for each objective type question as A, B, C and D. The choice which you think is correct; fill that circle in front of that question number in your answer book. Use marker or pen to fill the circles. Cutting or filling up two or more circles will result no mark.

SECTION-A

Q.1	Questions	A	B	C	D
-----	-----------	---	---	---	---

MS-ACCESS

	Table	View	Report	Query
1. CREATE command is used to create a:	Sequential file	Random file	Indexed sequential file	Direct access file
2. Which of the given type of file require largest processing time?	Design view	Normal view	Datasheet view	Layout view
3. The data in table is entered in:	Tool	Properties	Entities	Object
4. A database consists of various components called the:	Non-key attributes	Key attributes	Composite key	Sort key
5. In 3NF, a non-key attributes must not depend on a(n):	Recursive relationship	One-to-many relationship	Many-to-many relationship	One-to-one relationship
6. An entity related to itself in an ERD model refers to:				

C-LANGUAGE

7. % f is used for:	Float	Double	Integer	Short
8. Which is an example of multiple branches from single expression?	If	Switch	While	Do while
9. Types of loop..... in C language are.	4	5	2	3
10. On successfully closing a file, the f close () returns:	NULL	0 (Zero)	1 (One)	File Pointer
11. Memory is allocated to local variable at the time of its.	Declaration	Definition	Destruction	First reference
12. Relational operators are used to:	Perform arithmetic operations	Construct compound condition	Compare two values	Establish a relationship among variables
13. C was designed to write programs for:	Windows operating system	Solaris operating system	Unix operating system	OS/2 operating system
14. Which of the given language requires no translator to execute the program?	C++	Machine language	Assembly language	Pascal
15. Which of the given operators has lowest precedence?	!	+	=	==

OR**VISUAL-BASIC**

7. In Visual Basic, which statement indicates the end of decision structure?	End if	End	Next	Stop
8. Which of the given is used to terminate a loop from within the loop?	End loop	Exit Do	Exit While	Exit loop
9. What is the default lower bound of an array?	1	2	3	0
10. The prefix for naming a menu item is:	M	mnu	mne	men
11. How many options can be selected if a form contains four option buttons?	0	1	2	3
12. is used to override the order of operator's precedence.	{ }	{ }	()	[]
13. The lowest level of programming language is:	Java	Pascal	Assembly language	C++
14. A project file is saved with the following extension:	.Vb	.VbP	.frm	.frx
15. Which method loads a form in memory if not loaded and displays it on the screen?	Load	Unload	Show	Look